

Public Document Pack



PLANNING AND DEVELOPMENT COMMITTEE

Tuesday, 30 June 2026

SUPPLEMENTARY AGENDA

PART 1

7. 21/01283/FPM - NORTH CAR PARK

To consider the erection of a 10-storey building comprising of 94 no. flats which consists of 11 no. studios, 36 no. 1 bedroom and 47 no. 2 bedroom units, associated parking, access and ancillary works.

3 - 6

Agenda Published 25 June 2026

This page is intentionally left blank

Planning Committee Supplemental Agenda

Meeting date	30 June 2026
Officer	Linda Sparrow
Agenda Item	North Car Park, Six Hills House, Six Hills Way
Proposal	Erection of a 10 storey building comprising of 94 no. flats which consists of 11 no. studios, 36 no. 1 bedroom and 47 no. 2 bedroom units, associated parking, access and ancillary works
Reference	21/01283/FPM
ADDENDUM INFORMATION	

Flood Risk and Drainage

Following the publication of the committee report, comments were received from Herts County Council as Lead Local Flood Authority stating they have re-reviewed the application and request that the previously imposed conditions by the Council's then appointed drainage consultant be updated to ensure compliance with current National Standards for sustainable drainage solutions.

The two previously applied conditions, Nos. 16 and 17, read as follows:

16 No development shall take place until a final design of the drainage scheme for the site has been submitted to and approved in writing by the Local Planning Authority. The scheme shall subsequently be implemented in accordance with the approved details before the development is occupied. The scheme shall include:

- Updated surface water drainage calculations and modelling for all rainfall events up to and including the 1 in 100 year plus climate change event, including infiltration options.
- Updated full detailed surface water drainage plan showing the proposed discharge point, the location of the proposed SuDS features, any pipe runs and size.
- Detailed engineered drawings of the proposed SuDS features including their, size, volume, depth and any inlet and outlet features including any connecting pipe runs along with all corresponding detailed calculations/modelling.
- Exceedance flow paths for surface water for events greater than the 1 in 100 year plus climate change.

REASON:- To prevent flooding by ensuring the satisfactory storage of and disposal of surface water from the site. To reduce the risk of flooding to the proposed development and future users.

- 17 Upon completion of the drainage works, a management and maintenance plan for the SuDS features and drainage network must be submitted to and approved in writing by the Local Planning Authority. The scheme shall include:
- Provision of complete set of as built drawings including the final drainage layout for site drainage network.
 - Maintenance and operational activities for the lifetime of the development.
 - Arrangements for adoption and any other measures to secure the operation of the scheme throughout its lifetime.
- REASON:-** To prevent flooding by ensuring the satisfactory storage of/disposal of surface water from the site.

The four new conditions, Nos. 16, 17, 32, and 33, as provided by the LLFA are as follows:

- 16 Prior to commencement of development, in accordance with the submitted FRA and or Drainage Strategy (Surface Water Management Strategy prepared by Herrington Consulting Ltd) and drawing number HC-1421-501 Rev P2, detailed designs of a surface water drainage scheme incorporating the following measures shall be submitted to and agreed with the Local Planning Authority. The approved scheme shall be constructed and will be implemented prior to the first occupation of the development. The scheme shall address the following matters:
1. A statement demonstrating compliance with the National Standards for SuDS 2025.
 2. Final detailed drainage design including calculations for all rainfall events up to and including the 1 in 100 year + climate change event, including infiltration options. The calculations should use the most up to date rainfall data, CV values of 1 and appropriate climate change allowances.
 3. Updated final detail surface water drainage plan showing the proposed discharge point, the location of the proposed SuDS features, and all pipe runs with associated dimensions.
 4. Exceedance flow paths for surface water for events greater than the 1 in 100 year plus climate change.
- REASON:-** To prevent flooding in accordance with National Planning Policy Framework paragraphs 181,182 and 187 plus National SuDS Standards 1 to 7, by ensuring the satisfactory management of local sources of flooding surface water flow paths, storage and disposal of surface water from the site in a range of rainfall events and ensuring the SuDS proposed operates as designed for the lifetime of the development.
- 17 Prior to the commencement of any demolition or construction of the development, a construction phase surface water management plan for the site will be submitted to and approved in writing by the Local Planning Authority. This plan shall provide full details of who will be responsible for maintaining such temporary systems and demonstrate how the site will be drained to ensure there is no increase in the off-site flows, nor any pollution, debris and sediment to any receiving watercourse or sewer system. The temporary drainage scheme shall subsequently be implemented in accordance with the approved details prior to and during the construction phase and be appropriately decommissioned following the final drainage scheme being validated as operational. Survey and photographic evidence of remediation shall be supplied for any permanent SuDS used in the temporary scheme, prior to being made operational.
- REASON:-** To ensure that the construction of the site is appropriately managed in accordance with National SuDS Standard 7, does not result in any flooding both on and off site in accordance with NPPF.

32 Upon completion of the surface water drainage scheme and prior to the first occupation of the development, a detailed verification report, (appended with substantiating evidence demonstrating the approved construction details and specifications have been implemented in accordance with the surface water drainage scheme), has been submitted to and approved (in writing) by the Local Planning Authority. The survey and report shall demonstrate that the surface water drainage system has been constructed in accordance with the details approved and shall include as a minimum.

1. CCTV survey of underground structures,
2. A full set of "as built" drawings highlighting any minor changes to the approved drawings.
3. Demonstration that vegetation has become established.
4. Photographs of excavations (including soil profiles/horizons) and any installation of any surface water drainage structures and control mechanisms.
5. Where necessary, details of corrective works to be carried out along with a timetable for their completion, shall be included for approval in writing by the Local Planning Authority. Any corrective works required shall be carried out in accordance with the approved timetable and subsequently re-surveyed with the findings submitted to and approved in writing by the Local Planning Authority.

REASON:- To ensure that the development achieves a high standard of sustainability and ensure the flood risk is adequately addressed for each new dwelling and not increased in accordance with NPPF and Local Plan Policies of Stevenage Borough Council.

33 The development hereby approved shall not be occupied until details of the maintenance and management of the Sustainable Drainage Scheme (SuDS) in accordance with National SuDS Standard 7 have been submitted to and approved in writing by the Local Planning Authority. The drainage scheme shall be implemented prior to the first occupation of the development hereby approved and thereafter managed and maintained in accordance with the approved details in perpetuity. The Local Planning Authority shall be granted access to inspect the sustainable drainage scheme for the lifetime of the development. The details of the network in addition to those listed in SuDS Standard 7 to be submitted for approval shall include:

1. A timetable for its implementation.
2. Details of SuDS feature and connecting drainage structures and maintenance requirement for each aspect including a non-technical labelled drawing showing where they are located and how to access them.
3. A management and maintenance plan for the lifetime of the development which shall include the arrangements for adoption by any public body or statutory undertaker, or any other arrangements to secure the operation of the sustainable drainage scheme throughout its lifetime. This will include the name and contact details of any appointed management company.

REASON:- To ensure that the development achieves a high standard of sustainability and ensure the flood risk is adequately addressed for each new dwelling and not increased in accordance with NPPF and Local Plan Policies of Stevenage Borough Council.

This page is intentionally left blank